

TRANSPARENT RULED LED TUBES

RGB/Monochromatic: Management through:

- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.



Code*	No.LED	Colour	Watt	Length	Diameter	Voltage
-------	--------	--------	------	--------	----------	---------

RGB / $\Phi 50mm$

TUB.063 /CC	150 (50/colour)	RGB	12W	1000mm	50mm	24VDC
TUB.064 /CC	120 (40/colour)	RGB	9,6W	800mm	50mm	24VDC
TUB.065 /CC	90 (30/colour)	RGB	7,2W	600mm	50mm	24VDC
TUB.066 /CC	60 (20/colour)	RGB	4,8W	400mm	50mm	24VDC
TUB.067 /CC	30 (10/colour)	RGB	2,4W	200mm	50mm	24VDC

*CC=Common Cathode



RGB / $\Phi 26mm$



TUB.009 /CC	150 (50/colour)	RGB	12W	1000mm	26mm	24VDC
TUB.010 /CC	120 (40/colour)	RGB	9,6W	800mm	26mm	24VDC
TUB.011 /CC	90 (30/colour)	RGB	7,2W	600mm	26mm	24VDC
TUB.012 /CC	60 (20/colour)	RGB	4,8W	400mm	26mm	24VDC
TUB.013 /CC	30 (10/colour)	RGB	2,4W	200mm	26mm	24VDC

*CC=Common Cathode



MONOCHROMATIC/ $\Phi 26mm$

TUB.014	120	COOL WHITE	9,6W	800mm	26mm	24VDC
TUB.015	90	COOL WHITE	7,2W	600mm	26mm	24VDC
TUB.016	60	COOL WHITE	4,8W	400mm	26mm	24VDC
TUB.017	30	COOL WHITE	2,4W	200mm	26mm	24VDC
TUB.003	150	BLUE	12W	1000mm	26mm	24VDC
TUB.018	120	BLUE	9,6W	800mm	26mm	24VDC
TUB.019	90	BLUE	7,2W	600mm	26mm	24VDC
TUB.020	60	BLUE	4,8W	400mm	26mm	24VDC
TUB.021	30	BLUE	2,4W	200mm	26mm	24VDC
TUB.004	150	GREEN	12W	1000mm	26mm	24VDC
TUB.022	120	GREEN	9,6W	800mm	26mm	24VDC
TUB.023	90	GREEN	7,2W	600mm	26mm	24VDC
TUB.024	60	GREEN	4,6W	400mm	26mm	24VDC
TUB.025	30	GREEN	2,4W	200mm	26mm	24VDC
TUB.005	150	RED	12W	1000mm	26mm	24VDC
TUB.026	120	RED	9,6W	800mm	26mm	24VDC
TUB.027	90	RED	7,2W	600mm	26mm	24VDC
TUB.028	60	RED	4,6W	400mm	26mm	24VDC
TUB.029	30	RED	2,4W	200mm	26mm	24VDC
TUB.006	150	AMBER	12W	1000mm	26mm	24VDC
TUB.030	120	AMBER	9,6W	800mm	26mm	24VDC
TUB.031	90	AMBER	7,2W	600mm	26mm	24VDC
TUB.032	60	AMBER	4,6W	400mm	26mm	24VDC
TUB.033	30	AMBER	2,4W	200mm	26mm	24VDC





MILKY LED TUBES

RGB/Monochromatic: Management through:

- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.




Code*	No.LED	Colour	Watt	Length	Diameter	Voltage
<i>RGB / Φ50mm</i>						
TUB.001 /CC	150 (50/colour)	RGB	12W	1000mm	50mm	24VDC
TUB.059 /CC	120 (40/colour)	RGB	9,6W	800mm	50mm	24VDC
TUB.060 /CC	90 (30/colour)	RGB	7,2W	600mm	50mm	24VDC
TUB.061 /CC	60 (20/colour)	RGB	4,8W	400mm	50mm	24VDC
TUB.062 /CC	30 (10/colour)	RGB	2,4W	200mm	50mm	24VDC

*CC=Common Cathode

MONOCHROMATIC/ Φ 26mm


TUB.039	150	BLUE	12W	1000mm	26mm	24VDC
TUB.040	120	BLUE	9,6W	800mm	26mm	24VDC
TUB.041	90	BLUE	7,2W	600mm	26mm	24VDC
TUB.042	60	BLUE	4,8W	400mm	26mm	24VDC
TUB.043	30	BLUE	2,4W	200mm	26mm	24VDC
TUB.044	150	GREEN	12W	1000mm	26mm	24VDC
TUB.045	120	GREEN	9,6W	800mm	26mm	24VDC
TUB.046	90	GREEN	7,2W	600mm	26mm	24VDC
TUB.047	60	GREEN	4,8W	400mm	26mm	24VDC
TUB.048	30	GREEN	2,4W	200mm	26mm	24VDC
TUB.049	150	RED	12W	1000mm	26mm	24VDC
TUB.050	120	RED	9,6W	800mm	26mm	24VDC
TUB.051	90	RED	7,2W	600mm	26mm	24VDC
TUB.052	60	RED	4,8W	400mm	26mm	24VDC
TUB.053	30	RED	2,4W	200mm	26mm	24VDC
TUB.054	150	AMBER	12W	1000mm	26mm	24VDC
TUB.055	120	AMBER	9,6W	800mm	26mm	24VDC
TUB.056	90	AMBER	7,2W	600mm	26mm	24VDC
TUB.057	60	AMBER	4,8W	400mm	26mm	24VDC
TUB.058	30	AMBER	2,4W	200mm	26mm	24VDC
TUB.034	150	COOL WHITE	12W	1000mm	26mm	24VDC
TUB.035	120	COOL WHITE	9,6W	800mm	26mm	24VDC
TUB.036	90	COOL WHITE	7,2W	600mm	26mm	24VDC
TUB.037	60	COOL WHITE	4,8W	400mm	26mm	24VDC



RGB: Management through:

- DMX 512 controllers.
- Wireless IR & RF control units.
- DALI Protocol devices.

D-SHAPED LED TUBES





Code*	No.LED	Colour	Watt	Length	Diameter	Voltage
<i>RGB TRANSPARENT</i>						
TUB.102 /CC	150 (50/colour)	RGB	12W	1000mm	82mm	24VDC
TUB.103 /CC	120 (40/colour)	RGB	9,6W	800mm	82mm	24VDC
TUB.104 /CC	90 (30/colour)	RGB	7,2W	600mm	82mm	24VDC
TUB.105 /CC	60 (20/colour)	RGB	4,8W	400mm	82mm	24VDC
TUB.106 /CC	30 (10/colour)	RGB	2,4W	200mm	82mm	24VDC

*CC=Common Cathode

RGB MILKY

TUB.107 /CC	150 (50/colour)	RGB	12W	1000mm	82mm	24VDC
TUB.108 /CC	120 (40/colour)	RGB	9,6W	800mm	82mm	24VDC
TUB.109 /CC	90 (30/colour)	RGB	7,2W	600mm	82mm	24VDC
TUB.110 /CC	60 (20/colour)	RGB	4,8W	400mm	82mm	24VDC
TUB.111 /CC	30 (10/colour)	RGB	2,4W	200mm	82mm	24VDC

*CC=Common Cathode



TRANSPARENT NARROW BEAM LED TUBES




RGB/Monochromatic: Management through:

- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.



Code*	No.LED	Colour	Watt	Length	Diameter	Voltage
<i>RGB</i>						
TUB.072 /CC	36 (12/colour)	RGB	3W	250mm	32mm	24VDC
TUB.073 /CC	72 (24/colour)	RGB	6W	500mm	32mm	24VDC
TUB.074 /CC	144 (48/colour)	RGB	12W	1000mm	32mm	24VDC
<i>MONOCHROMATIC</i>						
TUB.087	36	COOL WHITE	3W	250mm	32mm	24VDC
TUB.088	72	COOL WHITE	6W	500mm	32mm	24VDC
TUB.089	144	COOL WHITE	12W	1000mm	32mm	24VDC
TUB.077	144	BLUE	12W	1000mm	32mm	24VDC
TUB.086	144	GREEN	12W	1000mm	32mm	24VDC
TUB.080	144	RED	12W	1000mm	32mm	24VDC

*CC=Common Cathode



MULTI CHANNEL LED TUBE

- Decorative lighting for bars, clubs, events, shows and so on
- Special lighting effects that create impressions
- Operation of 1000 tubes from a single power supply
- DMX-512 control through control desk



Code	No.LED	Colour	Watt	Length	Diameter	Voltage
TUB.101	144 (48/colour)	RGB	15W	1000mm	50mm	230VAC

*Cable Connector: ACC.002
**Power Supply: CDS.300

