

ARC RECESSED + TRIMLESS



Monochromatic: Management through:

- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.
- Linear LED lighting with transparent or milky satin cover.
- Available with different CCT to meet all the architectural needs.
- Available for either recessed or trimless installations.
- L70 50.000h
- IP30





ARC RECESSED



ARC TRIMLESS



| Model | Luminaire Colour | Colour Temperature | Colour Rendering | Type | Watt / Length | Voltage |
|--------------------------|------------------|--------------------|------------------|------------------|------------------------|---------------|
| ARC RECESSED (ARC RC) | (WH) White | (20) 2000K | (80) ≥ 80 | (ML) Milky | (07W037) 7W / 37cm | 24VDC (24) |
| | | (25) 2500K | | (MS) Milky Satin | (12W062) 12.2W / 62cm | |
| | | (27) 2700K | | (RL) Ruled | (17W087) 17.5W / 87cm | |
| | | (30) 3000K | | (TR) Transparent | (21W104) 21W / 104cm | |
| | | (40) 4000K | | | (24W121) 24.5W / 121cm | |
| | | (57) 5700K | | | (31W154) 31.5W / 154cm | |
| | | | | | (42W204) 42W / 204cm | |
| | | | | | | |
| ARC TRIMLESS (ARC TR) | (WH) White | (20) 2000K | (80) ≥ 80 | (ML) Milky | (07W035) 7W / 35cm | 24VDC (24) |
| | | (25) 2500K | | (MS) Milky Satin | (12W060) 12.2W / 60cm | |
| | | (27) 2700K | | (RL) Ruled | (17W085) 17.5W / 85cm | |
| | | (30) 3000K | | (TR) Transparent | (21W102) 21W / 102cm | |
| | | (40) 4000K | | | (24W119) 24.5W / 119cm | |
| | | (57) 5700K | | | (31W152) 31.5W / 152cm | |
| | | | | | (42W202) 42W / 202cm | |
| | | | | | | |



Ordering Code Example:
ARC TR - WH - 40 - 80 - MS - 31W152 - 24

Available upon request:

- ✓ Custom dimensions
- ✓ Custom luminaire colours
- ✓ Emergency version

ARC2 RECESSED + TRIMLESS

Monochromatic: Management through:

- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.
- Linear LED lighting with transparent or milky satin cover.
- Available with different CCT to meet all the architectural needs.
- Available for either recessed or trimless installations.
- L70 50.000h
- IP30





ARC2 RECESSED



ARC2 TRIMLESS

LIGHTSOURCE BY
NICHIA

| Model | Luminaire Colour | Colour Temperature | Colour Rendering | Type | Watt / Length | Voltage |
|-----------------------------------|------------------|--|------------------|--|-----------------------------------|---------------|
| ARC2 RECESSED (ARC2 RC) | (WH) White | (20) 2000K (25) 2500K (27) 2700K (30) 3000K (40) 4000K (57) 5700K | (80) ≥ 80 | (ML) Milky (MS) Milky Satin (RL) Ruled (TR) Transparent | (14W037) 14W / 37cm | 24VDC (24) |
| | | | | | (24W062) 24.4W / 62cm | |
| | | | | | (38W095) 38.5W / 95cm | |
| | | | | | (42W104) 42W / 104cm | |
| | | | | | (49W121) 49W / 121cm | |
| | | | | | (63W154) 63W / 154cm | |
| | | | | | (84W204) 84W / 204cm | |
| | | | | | ARC2 TRIMLESS (ARC2 TR) | |
| (24W060) 24.4W / 60cm | | | | | | |
| (38W093) 38.5W / 93cm | | | | | | |
| (42W102) 42W / 102cm | | | | | | |
| (49W119) 49W / 119cm | | | | | | |
| (63W152) 63W / 152cm | | | | | | |
| (84W202) 84W / 202cm | | | | | | |



Ordering Code Example:
ARC2 TR - WH - 40 - 80 - MS - 24W060 - 24

Available upon request:

- ✓ Custom dimensions
- ✓ Custom luminaire colours
- ✓ Emergency version

ARC3 TRIMLESS




Monochromatic: Management through:


- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.
- Linear LED lighting with Milky, Milky Satin, Ruled or Transparent Cover.
- Available with different CCT to meet all the architectural needs.
- Wall trimless applications.
- L70 50.000h
- IP30



ARC3 TRIMLESS



| Model | Luminaire Colour | Colour Temperature | Colour Rendering | Type | Watt / Length | Voltage |
|----------------------------|------------------|--------------------|------------------|--|------------------------|---------------|
| ARC3 TRIMLESS (ARC3 TR) | (WH) White | (20) 2000K | (80) ≥ 80 | (ML) Milky (MS) Milky Satin (RL) Ruled (TR) Transparent | (07W035) 7W / 35cm | 24VDC (24) |
| | | (25) 2500K | | | (12W060) 12.2W / 60cm | |
| | | (27) 2700K | | | (17W085) 17.5W / 85cm | |
| | | (30) 3000K | | | (21W102) 21W / 102cm | |
| | | (40) 4000K | | | (24W119) 24.5W / 119cm | |
| | | (57) 5700K | | | (31W152) 31.5W / 152cm | |
| | | | | | (42W202) 42W / 202cm | |



Ordering Code Example:
ARC3 TR - WH - 40 - 80 - MS - 31W152 - 24

Available upon request:

- ✓ Custom dimensions
- ✓ Custom luminaire colours
- ✓ Emergency version