





PALMA

- Surface, Trimless or Pendant.
- DALI dimmable upon request.
- Low tolerances for colour temperature (MacAdam 4)
- Lumen maintenance L80/B50 50.000h




Model	Luminaire Colour	CRI	Type	Voltage	Colour Temperature*	Watt / Length / Initial LED Lumen (no cover)
PALMA MONOCHROMATIC SURFACE <i>(PALMA SF)</i>	<i>(AN)</i> Anodized <i>(WH)</i> White <i>(BL)</i> Black	<i>(80)</i> ≥ 80	<i>(TR)</i> Transparent <i>(MS)</i> Milky Satin	<i>(230)</i> 230VAC	(30) 3000K	(16W057) 16W / 57cm / 2060lm
						(24W085) 24W / 85cm / 3090lm
						(32W113) 32W / 113cm / 4120lm
						(40W141) 40W / 141cm / 5150lm
						(48W169) 48W / 169cm / 6180lm
PALMA MONOCHROMATIC TRIMLESS <i>(PALMA TR)</i>	<i>(AN)</i> Anodized <i>(WH)</i> White <i>(BL)</i> Black	<i>(80)</i> ≥ 80	<i>(TR)</i> Transparent <i>(MS)</i> Milky Satin	<i>(230)</i> 230VAC	(40) 4000K	(16W057) 16W / 57cm / 2240lm
						(24W085) 24W / 85cm / 3360lm
						(32W113) 32W / 113cm / 4480lm
						(40W141) 40W / 141cm / 5600lm
						(48W169) 48W / 169cm / 6720lm
PALMA MONOCHROMATIC PENDANT <i>(PALMA PD)</i>	<i>(AN)</i> Anodized <i>(WH)</i> White <i>(BL)</i> Black	<i>(80)</i> ≥ 80	<i>(TR)</i> Transparent <i>(MS)</i> Milky Satin	<i>(230)</i> 230VAC	(40) 4000K	(56W197) 56W / 197cm / 7210lm
						(16W057) 16W / 57cm / 2240lm
						(24W085) 24W / 85cm / 3360lm
						(32W113) 32W / 113cm / 4480lm
						(40W141) 40W / 141cm / 5600lm
(48W169) 48W / 169cm / 6720lm						
(56W197) 56W / 197cm / 7840lm						



*Available in 2700K, 3500K and 6500K upon request.
 **Available in 230VAC DALI dimmable upon request.


Ordering Code Example:
 PALMA PD - AN - 80 - TR - 230 - 40 - 32W113





PALMA 230V EMERGENCY

Interior Linear 

- 3 hours EMERGENCY operation
- Surface, Trimless or Pendant.
- DALI dimmable upon request (except 32W113 model).
- Low tolerances for colour temperature (MacAdam 4)
- Lumen maintenance L80/B50 50.000h




Model	Luminaire Colour	CRI	Type	Voltage	Colour Temperature*	Watt / Length / Initial LED Lumen (no cover)
PALMA EM MONOCHROMATIC SURFACE <i>(PALMA EM SF)</i>					[30] 3000K	[32W113] 32W / 113cm / 4120lm
						[40W141] 40W / 141cm / 5150lm
						[48W169] 48W / 169cm / 6180lm
						[56W197] 56W / 197cm / 7210lm
PALMA EM MONOCHROMATIC TRIMLESS <i>(PALMA EM TR)</i>	[AN] Anodized [WH] White [BL] Black	[80] ≥ 80	[TR] Transparent [MS] Milky Satin	[230] 230VAC	[40] 4000K	[32W113] 32W / 113cm / 4480lm
						[40W141] 40W / 141cm / 5600lm
						[48W169] 48W / 169cm / 6720lm
						[56W197] 56W / 197cm / 7840lm
PALMA EM MONOCHROMATIC PENDANT <i>(PALMA EM PD)</i>						



*Available in 2700K, 3500K and 6500K upon request.


Ordering Code Example:
PALMA EM PD - AN - 80 - TR - 230 - 40 - 32W113



PALMA LINEAR TUNABLE





- Surface, Trimless or Pendant.
- Linear Tunable White system with adjustable colour temperature from 3,000 to 6,000 K at constant luminous flux.
- DALI dimmable upon request.
- Low tolerances for colour temperature (MacAdam 4)
- Lumen maintenance L80/B50 50.000h



Model	Luminaire Colour	Colour Temperature	CRI	Type	Watt / Length / Initial LED Lumen (no cover)	Voltage
PALMA TUNABLE SURFACE (PALMA TS)					(20W086) 20W / 86cm / 2100lm (26W114) 26W / 114cm / 2650lm	(230) 230VAC DALI DIMMABLE
PALMA TUNABLE TRIMLESS (PALMA TR)	(AN) Anodized (WH) White (BL) Black	(AD) 3000-6000K Adjustable	(80) ≥ 80	(TR) Transparent (MS) Milky Satin	(32W142) 32W / 142cm / 3350lm (40W086) 40W / 86cm / 4300lm (52W114) 52W / 114cm / 5700lm (62W142) 62W / 142cm / 7150lm	
PALMA TUNABLE PENDANT (PALMA TP)						



Ordering Code Example:
PALMA TR - AN - AD - 80 - MS - 52W114 - 230



TETRA WASH ANTI-GLARE

Interior Linear 



- Linear LED lighting recessed and anti-glare.
- IP30



CREE
LEDs



Model	Luminaire Colour	Colour Temperature	Colour Rendering	Beam Angle	LED wattage / Length	Voltage
TETRA WASH ANTI-GLARE (TETRA WASH AG)	(BL) Black	(27) 2700K	(70) ≥ 70 (80) ≥ 80*	(46) 46°	(03W032) 3W / 32cm	(24) 24VDC
		(30) 3000K		(25) 25°	(06W032) 6W / 32cm	
		(40) 4000K		(12) 12°	(05W052) 5W / 52cm	
		(56) 5600K			(10W052) 10W / 52cm	
					(12W052) 12W / 52cm	
					(10W102) 10W / 102cm	
					(20W102) 20W / 102cm	
					(24W102) 24W / 102cm	
					(15W152) 15W / 152cm	
					(30W152) 30W / 152cm	
					(36W152) 36W / 152cm	
					(20W202) 20W / 202cm	
					(40W202) 40W / 202cm	
					(48W202) 48W / 202cm	




30.2x4.3cm
50.2x4.3cm
100.2x4.3cm
150.2x4.3cm
200.2x4.3cm

* CRI 80 only for 2700K/3000K/4000K

Ordering Code Example:

TETRA WASH AG - BL - 27 - 80 - 12 - 20W202 - 24

Available upon request:

- ✓ Custom dimensions
- ✓ Custom luminaire colours
- ✓ Emergency version

