

- > Samsung LED
- > ABS Casing and Aluminium PCB
- > Screw hole on the PCB for durable installation

Monochromatic: Management through:


- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.

- ABS Casing and Aluminium PCB
- Screw hole on the PCB for durable installation
- LED Modules for illuminating advertising boards, company name and logo boards, etc.
- Reduced maintenance costs
- Bright, diffuse light and saturated colours
- Adhesive tape at the rear side of the module.
- Sold in chain of 50 pcs.



Code*	No.LED	Colour	Watt	Dimensions	Colour Temperature	CRI	Luminus FLUX (LM)	Lumen Efficacy	Voltage	Beam Angle	IP
LEM.008	3	COOL WHITE	1.2W	76x16x6mm	5000K	CRI80+	125 lm	104 lm/W	12VDC	120°	IP67
LEM.013	3	NEUTRAL WHITE	1.2W	76x16x6mm	4000K	CRI80+	120 lm	100 lm/W	12VDC	120°	IP67
LEM.014	3	WARM WHITE	1.2W	76x16x6mm	3000K	CRI80+	115 lm	95 lm/W	12VDC	120°	IP67
LEM.015	3	WARM WHITE	1.2W	76x16x6mm	2700K	CRI80+	110 lm	91 lm/W	12VDC	120°	IP67

*Available in Cool White (6000-7000K) upon request





LED MODULES

Lamps, Panels, Modules & PCBs 

RGB/Monochromatic: Management through:

- DMX 512 controllers & converters 0-10V or 1-10V or simple push buttons.
- Wireless IR & RF control units.
- DALI Protocol devices.
- LED Modules for illuminating advertising boards, company name and logo boards, etc.
- Ideal for backlighting plexiglass and other special constructions.
- Reduced maintenance costs.
- Bright, diffuse light and saturated colours.
- Outdoor installation IP65.
- Adhesive tape at the rear side of the module.
- SMD LEDs.
- Sold in chain of 20 pcs.



Code*	No.LED	Colour	Watt	Dimensions	Voltage		IP 
<i>RGB 1.3W</i>							
LEM.012 /CA	4 (RGB in one chip)	RGB	1,3W	55x7x34mm	12VDC	120°	IP65
<i>*Note: CA=Common Anode</i>							
<i>MONOCHROMATIC</i>							
LEM.006	3	BLUE	0,56W	68x7x20mm	12VDC	120°	IP65
LEM.007	3	RED	0,55W	68x7x20mm	12VDC	120°	IP65
LEM.009	3	WARM WHITE	0,6W	68x7x20mm	12VDC	120°	IP65
LEM.010	3	GREEN	0,56W	68x7x20mm	12VDC	120°	IP65

